



NOTE: STRESSES ASSOCIATED WITH EXTERNAL OR ENVIROMENTAL EFFECTS HAVE NOT BEEN CONSIDERED IN THIS DESIGN. ANY PROJECT SPECIFIC LOADINGS WILL REQUIRE EVALUATION TO ENSURE THAT THEY DO NOT APPLY NEW LOADS NOT ALLOWED FOR IN THIS DESIGN.

THE CONFIGURATION AND DIMENSIONS OF THE BURNER GAS TRAIN CAN VARY DEPENDING ON GAS


SUPPLY PRESSURE AND SITE SPECIFICATIONS. HUNT BOILERS CAN PROVIDE GAS TRAIN CONFIGURATION AND DIMENSION ON RECIEPT OF THE DESIGN CRITERIA FOR YOUR PROJECT.



-3160-




FRONT ELEVATION



IN THE INTEREST OF CONTINUOUS IMPROVEMENT HUNT BOILERS RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS OF ITS PRODUCTS WITHOUT PRIOR NOTICE.

В	Burner and specifications updated	05/10/12	DA	
Α	ORIGINAL ISSUE	05/12/08		
REV	REVISION NOTE	DATE	CKD	





THIS DRAWING WAS PREPARED BY HUNT BOILERS. THE INFORMATION IT CONTAINS IS CONFIDENTIAL AND MUST NOT BE USED, DISCLOSED OR REPRODUCED WITHOUT WRITTEN AUTHORITY.

SPECIFICATIONS:

TNAR SERIES

HOT WATER HEATER

MODEL: TNAR3500 (3500KW) DESIGN REFERENCE: AS1210-2010

CLASS: 3

DESIGNATION NUMBER: AS1210-3 OUTPUT CAPACITY 3500 kW 99°C MAX. OPERATING TEMPERATURE: MAX. OPERATING PRESSURE: 570 kPa kPa DESIGN PRESSURE: 600 TEST PRESSURE: 936 kPa

INPUT: *15180 MEGAJOULES/hr OUTPUT 12600 MEGAJOULES/hr WATER CONTENT: 3700 LITRES

DRY WEIGHT: 8370 kg

HAZARD LEVEL T	0 AS4343-2005
OPEN VENTED	"E"
>65°C <90°C	"C"
≥90°C <100°C	"B"

WATER FLOW RATE	△T10°C	85.44 14.70
kg/sec WATER	△T15°C	57.03 × 7.30
PRESSURE DROP kPa	∆T20°C	42.82 3.90

* = BASED ON 65°C WATER INLET TO 80°C WATER OUTLET

		ALL DIMENSIONS	DRAWN:		DESCRIPTION		
ITEM	DESCRIPTIO	N	TYPE	S	ΓYLE	SIZE	QTY
1	BURNER		FORCED DRAFT	GUN	1		1
2	SAFETY VAL	.VE	BRONZE	FU	L LIFT	32NB	3
3	FLOW CONNE	ECTION	FLANGE	TAE	BLE 'E'	200NB	1
4	RETURN CON	NECT I DN	FLANGE	TAE	BLE 'E'	200NB	1
5	VENT CONNE	ECT I ON	FLANGE	TABLE 'E'		150NB	1
6	PRESSURE G	GAUGE	BOURDON	0-1000kPa			1
7	TEMPERATUR	RE GAUGE	BIMETAL	0-150°C			1
8	LOW LEVEL	PROBE CON	STUB	BSP		32NB	1
9	DRAIN CONN	NECTION	STUB	BSP		25NB	1
10	INSPECTION	OPENINGS	FLANGE	TABLE 'E'		150NB	2
11	CONDENSATE	DRAIN CON	STUB	BSP		20NB	1
12							

D..L.D.

05/12/08

DATE:

CHECKED:

IN MILLIMETERS

DO NOT SCALE

THIS DRAWING

COMPUTER

AIDED DRAFT

TNAR3500 (3500KW)


DRAWING No:

TNAR3500-GA-8 of 8

HOT WATER HEATER

GENERAL ARRANGEMENT

DESIGN REG:- SD20080808-1



MADE U

AUSTRALIAN